



# WILLARD MARINE®

## 65' Dauntless Patrol Boat



### Characteristics

#### Dimensions

Hull Length	65' (19.81m)
Beam Overall (w/Collar)	20' 4" (6.19m)
Hull Draft	3' 5" (1.04m)
Displacement (loaded)	83,000 lbs.
Fuel Capacity	2,000 gallons
Speed (Twin 1100 hp)	32 knots

### Construction Details

*All-welded, Marine Construction,  
Alloy 5086 Plating Heavy-Duty, Deep-V Hull Design*

Bottom Plating	5/16"
Side Plating	1/4"
Deck Plating	3/16"
Bulkhead Plating	3/16"
Transom Plating	1/4"

The 65' Dauntless is based on a proven hull designed by C. Raymond Hunt & Associates. The vessel is constructed of all-welded marine grade aluminum, featuring a deep-V variable deadrise hull that produces a smooth, dry and stable ride. The raised pilothouse provides excellent all-around visibility for the helmsman and crew. All of these features are designed to better support the crew for maximum mission performance with fast response and all-weather operational potential.





### **Hull Structures**

- Variable Deadrise Bottom
- Lifting Strakes (2 per side)
- Wide Chines
- Radiused Bow Section
- 4 W.T. Compartments
- Bulkhead Drainage Valves
- Welded Aluminum Cabin and Pilothouse Floor
- Radiused Transom
- Cambered Decks
- Rigging Tube from Dash to Engine Room
- Wire Tube from Dash to Fore Peak
- Wire Tube from Dash to Lazarette
- Sacrificial Hull Anodes
- 1-Year Parts Warranty
- 10-Year Hull & Deck Warranty

### **Hull Fittings/Deck Fittings**

- Collar, Foam, 24" Diameter
- Diving Ladder, Removable
- Lifting Eyes (4)
- Rubber Bumper, 6", Around Dive Platform
- Recessed Cargo Tie Downs
- Tow Post
- 200' Tow Line (1" Braided Nylon)
- Tow Line Reel
- Deck Crane, 1500 Lb. Capacity
- Ammunition Storage/Foundations (7.62)
- Ammunition Storage/Foundations (50 cal)
- Deck Reinforcement for Weapon Mounts
- Deck Canopy
- Dive Bottle Racks (Capacity 6)
- Ladder for Roof Access

### **Hatches & Closures**

- Engine Room Personnel Access Hatch & Engine Room Ladder
- Cabin Floor Access Cover for Bilge Inspection
- Auxiliary Machinery Space Service Access
- Aluminum Walking Flats In:  
Engine Space & Auxiliary Machine Space

### **Fuel System**

- 2 Each - 1,000 Gallon Internal Tanks w/Senders
- Emergency Fuel Shutoff (Manual)

### **Gear for Inboard Models**

- Air Foiled Shaped Struts
- Shaft Logs
- Stainless Steel Wedge-Shaped Rudders with Positive Stops
- Heavy-Duty Rudder Post Framing Tied to Bottom And Transom
- Stainless Steel Adjustable Rudder Tie Bar
- Stainless Steel Shafts Sized to Suit (w/Engine Installation)
- Propellers Bronze Standard (w/Engine Installation)

### **Pilot House**

- 2 - Tempered Safety Plate Clear Front Windows, 3/8"
- 2 - 1/4" Safety Glass Clear Sliding Windows
- 2 - 1/4" Safety Glass Tinted Fixed Side Windows
- 2 - 1/4" Safety Glass Tinted Fixed Aft Bulkhead Windows
- Insulated Bulkhead Door with Dogs, Padlock Hasp & Window
- 2" Insulated Overhead with Liner
- 1" Insulated House Side Walls (Roof to Floor) With Side Liners
- 1" Insulated Aft Bulkhead with Liner
- Welded Aluminum Dash & Bulkhead Complete with High Profile Instrument Pod
- Overhead Wire Way with Access Panel
- Window Post Wire Ways (3)
- Rails: Overhead Handrails (2), Port Dash Handrail (1), Aft Bulkhead Door Rails (2), P/S Cabin Exterior Side Rails (2), & Exterior Aft House Rails (2)
- Air Conditioning, Central Unit, 48,000 Btu (2)
- Extended Pilot House
- Folding Chart Table with Chart Light
- 12v Fan (10 each)
- Floor Matting in All Interior Spaces
- 24" x 24" Lexan Roof Hatches (2 each)
- Emergency Treatment Bench with Restraining Straps & Storage Below in Aft Main Cabin
- Fwd Sloping Cabin Modification with Removable Top

### **Engine**

- Twin 1100 Man Diesels, Conventional Drive
- Engine Gauge Panel Mounted at Engineer's Station In Pilot House
- FLOCS

### **Steering**

- Power Steering
- Emergency Tiller

### **Cabin**

- 1" Insulated Overhead/Cabin Sides with Headliner
- 2" Hull Insulation with Hull Liners
- Access Door Into Auxiliary Machinery Space
- Staircase Leading to Pilot House
- Companionway Handrail
- Aft Bulkhead Wire Way (for Dash Access)
- Wire Way Access Hatches (2)
- 2 - Individual Bunks with Cushions
- 2 - V-Berth (for two) Bunks with Cushions
- Galley Unit: Sink with Tank, 4-Burner Stove Top, Fullsize Refrigerator/Freezer, Microwave Oven
- Settee with Table
- Holding Tank
- Shower Set with Tankless Hot Water Heater
- Watertight Door

### Electrical

- 12v and 24v DC Electrical System
- 100 amp Shore Power
- 12v Auxiliary Plugs
- Washdown Pump, 12VDC, w/Deck Bib, 1 Saltwater and 1 Freshwater
- Anchor Windlass, 12DC, 1,000 Lb.
- Windshield Washer System w/25 Gal. Water Tank
- Duplex Outlets, 120VAC
- Weathertight 120VAC Outlets
- Battery Charger
- 20 kw Diesel, Water-Cooled, 60 Hz, Generator
- Bilge Alarm/High Water (5)
- High Capacity Bilge Pumps w/Auto/Manual Feature

### Seating

- Suspension Seats
- Seat Foot Rests, Port & Starboard, Folding
- 72" Bench/Storage Seat with Cushion (in Trunk Cabin)
- Fold-Down Seat (2)

### Navigation/Communication Electronics

- Integrated Navigation System Including GPS, Chart Plotter, Radar, 2 Screens & Depth Finder
- Radar, 24NM, Raymarine, 18" Dome
- Radar, 48NM, Raymarine, 24" Dome
- Depth Sounder
- Closed Circuit TV System with Digital Recorder
- 4-1/2" Lighted Compass
- Inmarsat Mini-M Transceiver w/Cradle, Handset & SAT Antenna
- Loud Hailer with Hailing Horn
- Radio, DSC/VHS Radio Telephone, w/Antenna
- Radio, SSB, w/ Antenna, Tuner & Mount
- Radio, VHF w/Antenna
- David Clark Intercom System, 4-Station, Interfaced w/Radios, Headsets
- Siren/PA System w/100W Speaker
- Loud Hailer with Hailing Horn
- EPIRB 406 MHz

### Safety Equipment

- Automatic Fire Extinguisher, FE-241, 1500 MA2, w/Shutdown
- Lighting Protection system
- 10-Man Life Raft, Canister, Offshore (2)
- First-Aid Kit

### Lighting

- Side Lights LED
- Anchor/Navlight LED
- Compartment & Overhead Dome Lighting
- Bunklights & Interior Lights
- Emergency Strobe Lights
- Floodlights
- Searchlight, Handheld
- Searchlights, Remote Controlled 12" (2)

### Miscellaneous

- Window Storm Covers
- Anchor Chocks & Hawse Pipe
- Anchor Pkg., 40 Lb. w/150' Line, Chocks, Thimble, Shackle & 10' Chain (3)
- Fenders
- Flagstaff
- Boat Hook (2)
- Fire Extinguisher, 10 Lb., Dry Chemical (4)
- Ring Buoy, 30", w/Bracket & Life Line (2)
- Stokes Litter w/Flotation Collar
- Weapons Storage Locker
- Mooring Line, 1" x 50" (5)
- Storage Locker on Weather Deck, 36"
- Water Tank, 80 Gallon
- Shipping/Storage Cradle
- Flare Kit

### Paint and Finish

- Polyurethane Paint - Haze Grey
- Customer Logo/Insignia
- Non-Skid Light Grey
- Black Lettering

### Spare Parts

Willard Marine, Inc. maintains a dedicated parts department to service our customers when they need it the most—after the sale. In addition, Willard Marine offers onboard and shore-based spare parts kits for all models when originally purchased.

## All Dauntless Series Models Can be Customized to Meet Your Requirements

Specifications are subject to change without notice and are based upon final configuration, arrangement and outfitting.